		DOCUMENT MC	ULE LURILU	a angune ,	Page	1 of 3
	01-PPG-001 for Proce pe All Information (Ex		e e	1. Data 4/19/94	25. DMR. No. 91-DM	r-000857
2. Existing Document		60 0-43		3. New Document Numb Revision	or or Document Number if it is	to be changed with this
4. Originator's Name	ER-OPS-GT.	,	<u>.</u>	5. Document Title	n/a	
6. Document Type	LAUNARAJS 185	67/5144/080 7. Document Modification Ty	na (Check only one)	SURTALE :	SOIL SAMPLING	
Other				Nonintent Change	Bditorial Correction	Cancellation
8. Item 9. Page	10. Step		11.	Proposed Modifications		
	EXPANS	D THE SCOPE	OF 94-	DMR-0001.	33 TO INCL	UPE
	THE B	PACKORUUND	50115	CHARACTE	RIZATION.	PROJECT
						·
	(=N /	+DDITION TO	005 89	10,12, 13, 14	-) FOR UN	PAVED
	RADIO	LOGICAL	AND A	VON-RADA	10200 ICAL	SURFACE
	SOIL	SAMPLIN	16		\	
	4			,		
	12 7.11.	0 N				
12. Justification (Res	non for Modification, EIOF.	TP(, etc.)		·		
Item No			161		- 60 consi	44. + 14. in
44 EM 100	these	being used	ound soil	tupling on	Also, less se	il is replaced
	(5.	L. J. J.	++1 F2	500)	ouse of limi	15 TREGIEZI
				→ · ∧	iuse of limi	Ted
		te groups b			lating the state of the state o	and the second in Black
13, then Concurror prin	assv procedure or a sevision, list of sta, and signs in Block 14, and dat		MAN SCHOOL I	sand 15. If middlinestics is for	any type of change or a cancellation,	orpoznacias de men il biocc
	14. Print and Sign (if applicable)	Az	7-21			15. Date (if applicable)
ES E	Diguld Jama	rais frague	James		· · · · · · · · · · · · · · · · · · ·	6/8/94
RE	Pinla Brows	to OST	20 1/10 1/2	ton	<u> </u>	11.194
ĪH.	Victor Natton	M.D. Schin		P.A. Nelowet		7-5-94
EDS	Mark Brooks	(RR) /	0) 1	St. 1. 2		7.7.94
SME/ESE	M2. Litano	Michaly	1 LThe			
 						
 					 	
						<u> </u>
16. Originator's Superv	isor (prist/sign/date)	. 000	4/2/-			
Signed SME/Poor	MANA S Proper		4/20/94 Cost Coster	19. Charge Number	20. Requested Completion Date	21. Effective Date 7/2doi:
MZ. Litus	1/4583/NA		0202	ENV-GT	5/1/44	5/16/94 VP119
22. Accelerated Review Yes No A	23. ORC Review	Review Not	Realinary	/		Ý
24. Responsible Manage	or (print, sign, data)	01.	D. 4	-21-94	· · · · · · · · · · · · · · · · · · ·	
Gary Konu	vinski sh	y K. Forum	uki. (REVIEWED FOR	CLASSIFICATION/UCN
		/	OCUMENT CLAS	SIFICATION REVI	TEWAIVER NA	
		D		AN OLACOIDICATE	(1) Socrete 120	

ADMIN RECORD

PER R.B. HOFFMAN, CLASSIFICATION OFFICE
JUNE 11, 1991

Refer to 1-A01-PPG-001 for Processing Instructions.

Print or Type All Information (Except Signatures)

25. DMR. No. 93-DMR-00857

Note: The Scope Limitation for this DMR is OUs 8, 9, 10, 12, 13, 14 (Industrial Area OUs) for unpaved radiological and non-radiological surface soil sampling. Replace third sentence with: "A visual description will be performed on each soil sample as they are being collected, using U.S.C.S. and Munsell reference charts to aid in the visual description. The following characteristics will be documented in the field log boo and on the Surface Soil Sampling Field Activities Report: Predominant type of material (i.e., gravel, sand, silt, diay, etc.) Grain size (based on U.S.C.S. grain size divisions) Color (based on Munsell Rock-Color chart) Grading (based on U.S.C.S. classification) Angularity (very angular through well rounded) Moisture content (dry, moist, saturated) Organic content (i.e., abundant roots, pear, etc.)"	Note: The Scope Limitation for this DMR is OUs 8, 9, 10, 12, 13, 14 (Industrial Area OUs) for unpaved radiological and non-radiological surface soil sampling. Replace third sentence with: "A visual description will be performed on each soil sample as they are being collected, using U.S.C.S. and Munsell reference charts to aid in the visual description. The following characteristics will be documented in the field log book and on the Surface Soil Sampling Field Activities Report: Predominant type of material (i.e., gravel, sand, silt, clay, etc.) Grain size (based on U.S.C.S. grain size divisions) Color (based on Munsell Rock-Color chart) Grading (based on U.S.C.S. classification) Angularity (very angular through well rounded) Moisture content (dry, moist, saturated) Organic content (dry, moist, saturated) Organic content (i.e., abundant roots, pear, etc.)"	2 00 1	200	Number 12	formation (Except Signatures)		DMR. No. 98-DMR-000857
Note: The Scope Limitation for this DMR is OUs 8, 9, 10, 12, 13, 14 (Industrial Area OUs) for unpaved radiological and non-radiological surface soil sampling. Replace third sentence with: "A visual description will be performed on each soil sampling as they are being collected, using U.S.C.S. and Munsell reference charts to aid in the visual description. The following characteristics will be documented in the field log boo and on the Surface Soil Sampling Field Activities Report: Predominant type of material (i.e., gravel, sand, silt, siay, etc.) Grain size (based on U.S.C.S. grain size divisions) Color (based on Munsell Rock-Color chart) Grading (based on U.S.C.S. classification) Angularity (very angular through well rounded) Moisture content (dry, moist, saturated) Organic content (i.e., abundant roots, pear, etc.)" Change first sentence to read: "The purpose of the sampling is to determine the amount accumulated plutonium that has been deposited on the ground, and if nonradionuclide	Note: The Scope Limitation for this DMR is OUs 8, 9, 10, 12, 13, 14 (Industrial Area OUs) for unpaved radiological and non-radiological surface soil sampling. Replace third sentence with: "A visual description will be performed on each soil sample as they are being collected, using U.S.C.S. and Munsell reference charts to aid in the visual description. The following characteristics will be documented in the field log book and on the Surface Soil Sampling Field Activities Report: Predominant type of material (i.e., grave), sand, silt, clay, etc.) Grain size (based on U.S.C.S. grain size divisions) Color (based on Munsell Rock-Color chart) Grading (based on U.S.C.S. classification) Angularity (very angular through well rounded) Moisture content (dry, moist, saturated) Organic content (i.e., abundant roots, peat, etc.)" Change first sentence to read: "The purpose of the sampling is to determine the amount of accumulated plutonium that has been deposited on the ground, and if nonradionuclide contaminants have been deposited on the ground."				+E42-ER-OPS-GT.08, Rev. 3	3. Document Title Sur?	ace Soil Sampling
Note: The Scope Limitation for this DMR is OUs 8, 9, 10, 12, 13, 14 (Industrial Area OUs) for unpaved radiological and non-radiological surface soil sampling. Replace third sentence with: "A visual description will be performed on each soil sample as they are being collected, using U.S.C.S. and Munsell reference charts to aid in the visual description. The following characteristics will be documented in the field log boo and on the Surface Soil Sampling Field Activities Report: Predominant type of material (i.e., gravel, sand, silt, diay, etc.) Grain size (based on U.S.C.S. grain size divisions) Color (based on Munsell Rock-Color chart) Grading (based on U.S.C.S. classification) Angularity (very angular through well rounded) Moisture content (dry, moist, saturated) Organic content (i.e., abundant roots, pear, etc.)" Change first sentence to read: "The purpose of the sampling is to determine the amount accumulated plutonium that has been deposited on the ground, and if nonradionuclide	Note: The Scope Limitation for this DMR is OUs 8, 9, 10, 12, 13, 14 (Industrial Area OUs) for unpaved radiological and non-radiological surface soil sampling. Replace third sentence with: "A visual description will be performed on each soil sample as they are being collected, using U.S.C.S. and Munsell reference charts to aid in the visual description. The following characteristics will be documented in the field log book and on the Surface Soil Sampling Field Activities Report: Predominant type of material (i.e., gravel, sand, silt, clay, etc.) Grain size (based on U.S.C.S. grain size divisions) Color (based on Munsell Rock-Color chart) Grading (based on U.S.C.S. classification) Angularity (very angular through well rounded) Moisture content (dry, moist, saturated) Organic content (i.e., abundant roots, pear, etc.)" Change first sentence to read: "The purpose of the sampling is to determine the amount of accumulated plutonium that has been deposited on the ground, and if nonradionuclide contaminants have been deposited on the ground."	Item	9. Page	10. Step	11. P	roposed Modifications	M 10 7-13-94
• Grain size (based on U.S.C.S. grain size divisions) • Color (based on Munseil Rock-Color chart) • Grading (based on U.S.C.S. classification) • Angularity (very angular through well rounded) • Moisture content (dry, moist, saturated) • Organic content (i.e., abundant roots, peat, etc.)" 2 9 Sec. Change first sentence to read: "The purpose of the sampling is to determine the amount accumulated plutonium that has been deposited on the ground, and if nonradionuclide	• Grain size :based on U.S.C.S. grain size divisions) • Color (based on Munseil Rock-Color chart) • Grading (based on U.S.C.S. classification) • Angularity (very angular through well rounded) • Moisture content (dry, moist, saturated) • Organic content (i.e., abundant roots, pear, etc.)" Sec. 4.2.1 Change first sentence to read: "The purpose of the sampling is to determine the amount of accumulated plutonium that has been deposited on the ground, and if nonradionuclide contaminants have been deposited on the ground."	1	6	1	OUs) for unpaved radiological and non-ra- Replace third sentence with: "A visual de- as they are being collected, using U.S.C., visual description. The following character	escription will be S. and Munsell rectisions will be	10, 12, 13, 14 (Industrial Area ce soil sampling. e performed on each soil sample reference charts to aid in the
	ustification (Resson for Medification, ElOf, TPf, etc.)		9		 Grain size (based on U.S.C.S. grain size) Color (based on Munsell Rock-Color of Grading (based on U.S.C.S. classificate) Angularity (very angular through well of Moisture content (dry, moist, saturated) Organic content (i.e., abundant roots, procedure of the purposaccumulated plutonium that has been deposed 	ze divisions) hart) ion) rounded)) beat, etc.)" ose of the sampli sited on the grou	ing is to determine the amount o
	JURINITATION (Resson for Modification, EJO#, TP#, etc.)						
							•

Refer to 1-A01-PPG-001 for Processing Instructions.
Print or Type All Information (Except Signatures)

25. DMR. No. 94DMR- 000857

		at Number/R	3. Document Title						
- 4-Ξ	.42-ER-	OPS-GT	.08, Rev. 3	Surface Soil Sampling					
i. i:en		e i 10. šteo	<u> </u>	11. Proposed Magifications					
3	9	4.2.1	Substitute "Five" for "Ten" in the last ser	ntence.					
1	11	4.2.4	Substitute "Five for "Ten" in the first sen	tence.					
5	11	4.2.4	Change second sentence to read: "Sample one, 1-meter square template, centered on	es should be collected at the center and corners of the selected sample site."					
. j	12	4.2.4, Step	scoop, trowel and place it in a 10-mesh me bottom to receive the soil that passes througemove soil samples from the jig interior stainless steel sieve which is placed in a stafform the one 1-meter square templates) has	Change to: "For radiological samples, remove soil samples from the jig interior with scoop/trowel and place it in a 10-mesh metal sieve that has a plastic bag attached to the bottom to receive the soil that passes through the sieve. For nonradiological samples, remove soil samples from the jig interior with scoop/trowel and place it in a 10-mesh stainless steel sieve which is placed in a stainless steel pan. After all 5 samples (5 samples from the one 1-meter square templates) have been placed into the sieve, attach the sieve cover and seal with tape. Sieving may be done in stages if all 5 soil samples cannot be placed into the sieve at the same time."					
		1.2.1. Step 6	stainless-steel pan. Collect adequate sample	i: "Mix each quarter thoroughly with a ther and smooth to a uniform thickness in the le volume in appropriate laboratory designated op/trowel by making an "S" motion through the					
3	13	4.2.4	Replace with: "Place residual sieved soil f disturbed area."	from quartering and sampling back into original					
9.	13	4.2.4	Delete Step 8.						
10		GT.8- 3	Replace Figure GT.8-3.						
:'usu	CCAUGO (F	Reason for !	Modification, EIO#, TP#, etc.)						

SURFACE SOIL SAMPLING

EG&G ROCKY FLATS PLANT

Manual:

4-E42-ER-OPS

ERM OPERATIONS PROCEDURE

MANUAL

Procedure No.

GT.08, Rev. 3

Page:

1A of 44 PR 01/31/94

Effective Date:

-01/28/94 7-25-94

Organization:

Environmental Restoration Management

LIST OF EFFECTIVE PAGES

PAGES
IA
6-6A
9
11-13
39
Total Number of Pages: 44

CHANGE NUMBER 94-DMR-000133 94-DMR-000133 94-DMR-000133 94-DMR-000133

94-DMR-0001 3 3

94- DMG -000 857

EG&G ROCKY FLATS PLANT

Manual:

4-E42-ER-OPS

GT.08,Rev.3

MANUAL

Page:

Effective Date:

Organization:

Environmental Restoration Management

4-E42-ER-OPS

4-E42-ER-OPS

GT.08,Rev.3

6 of 44-RR 0/31/9+

12/8/93-RP

01/35-94

Field personnel are referred to procedure FO.13, Containerization, Preserving, Handling, and Shipping of Soil and Water Samples for further details. Above-surface plant parts and coarse material (pebbles, rocks, and stones) will be removed by the sampling team. The soil samples will be classified according to precedure GT.1, Legging Alluvial and Bedrock Material. A visual description will be performed on each soil sample as they are being collected, using U.S.C.S. and Munsell reference charts to aid in the visual description. The following characterisics will be documented:

Prepominant type of material (i.e., gravel, sand, sit, clay, etc.)
Granvaize (based on U.S.C.S. grain size divisions)
Granvaize (based on U.S.C.S. grain size divisions)
Granvaize (based on U.S.C.S. classification)
Angularity (very expolar through well rounded)
Moistire content (dry, moist, saturated)
Cirganic content (i.e., abundant roots, peer, etc.)

For surficial profiling samples, the sampler will collect representative samples, including organic material and coarse material. All sampling equipment will be protected from the ground surface with plastic sheeting.

4.1 SOIL SAMPLING WITH THE CDH METHOD

4.1.1 Introduction

The CDH sampler is one method for collecting soil samples for radionuclide analysis at the RFP. The CDH sampler was designed to sample radionuclides in the top-soil that could become resuspended in the air and thus pose a migration pathway by inhalation. The sampler is designed to obtain a sample from the upper surface 1/4 inch deep from an area 2 inches wide and 2 3/8 inches long, as shown in Figure GT.8-1.

Sampling locations will be described in the FSP. Some samples will be composited to obtain representative samples of large areas and others will be single-location samples. Sampling techniques for either type of sample are the same before compositing.

4.1.2 Equipment and Materials

The following is a list of equipment used for radionuclide contaminated soil sampling:

SURFACE SOIL SAMPLING

EG&G ROCKY FLATS PLANT

Manual:

ERM OPERATIONS PROCEDURE

Procedure No.

GT.08, Rev. 3

MANUAL

Page:

6A of 44 RR 01/31/44

Effective Date:

12/8/93

Organization:

Environmental Restoration Management

- CDH soil sampler;
- stainless steel scoop;
- stainless steel lab spoon;
- stainless steel mixing bowl or pan equivalent;
- sample containers;
- sample labels;
- wash and rinse tubs;
- phosphate-free, lab-grade detergent (e.g., Liquinox);
- distilled water;
- plastic sheeting;
- sample locations (map and/or list);
- measuring tape or wheel;

EG&G ROCKY FLATS PLANT

Manual:

4-E42-ER-OPS

ERM OPERATIONS PROCEDURE

MANUAL

Procedure No.

GT.08, Rev. 3

9 of 44 RR 01/31/94

Page:

Effective Date:

+2/0/934 -01/38/4

Organization:

Environmental Restoration Management

4 7-25-95

to pour the soil into the container. Brush any soil that adheres to the scoop into the sample container.

- 9. Close the container.
- 10. After samples are placed in sample containers, the outside of the container will be wiped clean of excess material and it will be placed in a plastic bag.
- 11. Transfer the samples to the sample manager. Refer to procedure FO.13, Containerization, Preserving, Handling, and Shipping of Soil and Water Samples for the proper paperwork and sample transfer methods. This documentation is a QA record and must go into the ERM records center.
- 12. Either use another set of clean sampling equipment or decontaminate equipment after use and between sample locations. For specific decontamination guidelines, consult procedure FO.3, General Equipment Decontamination. Decontamination according to these procedures is not necessary between composite sample points; however, excess dirt or mud should be cleaned from the equipment.

Duplicate samples will be obtained by offsetting the primary sample location 6 inches to 2 feet upwind or in a direction technically more appropriate and placing the duplicate samples in a separate jar. The location of the duplicate will be documented on the data collection form. The duplicate sample will be composited and containerized following the same procedures as for the primary sample. The frequency of duplicate samples will be defined in the FSP or the Quality Assurance Addendum (QAA).

4.2 SOIL SAMPLING WITH THE RF METHOD (JIG AND SCOOP)

4.2.1 Introduction

The purpose of sampling is to determine the amount of accumulated plutonium that has been deposited on the ground, and if nonacionacine contaminants that has been deposited on the ground, and if nonacionacine contaminants that has been deposited on the ground, and if nonacionacine contaminants that has been deposited on the ground, and if nonacionacine contaminants that has been deposited on the ground, and if nonacionacine contaminants that has been deposited by collecting a sample volume of 5,000 cm³ of soil in situ. The jig outlines a square area with 10-cm sides and is driven 5 cm into the soil to cut three sides of the sample (Figure GT.8-2). At the fourth side, soil is removed from outside the jig's perimeter. The scoop is used to finish the cut on both the fourth side of the sample and the bottom surface. Ten Five samples should be collected at each location and composited.

94-DMR-000857 94-DMR-000857

4.2.3 Sampling Plot Layout

A site selection plan as described in the applicable FSP should be used to specify the general site location. The plan must provide adequate information for the sample collection crew to locate each specific site. Sample locations will be marked with an identification sign, as designated in the FSP, so that the area may be located and resampled at a later date. Permission to collect samples and mark the site should be obtained from the appropriate EG&G department or the landowner. Sample collection crews will be accompanied by supervision for all sampling activities to ensure that specified procedures are followed.

The following general site selection criteria should be considered:

- undisturbed location for the time interval of interest;
- near the center of a large, flat, open area;
- not subject to excessive runoff during heavy rain;
- light to moderate vegetation and permeable soil; and
- not in an area of mechanical disturbance.

Consideration of these criteria will depend on the nature of the study. For example, in some instances it may be necessary to investigate an area of mechanical disturbance.

If a sample site is not available that meets the criteria described in the FSP, the location can be moved up to one-half the distance to the next grid sample location or within 10 feet of a staked sample location which is not part of a grid. If the sample location must be moved further than this distance, regulatory agency concurrence will need to be obtained. Any movement of sample locations will be documented on the surface soil data collection form and in the field crew supervisors logbook.

All selected sites should be located on a map.

4.2.4 Procedures

Ten five soil samples should be collected at each site and composited for analysis. Samples should be collected at the center and corners of two one-meter-squares that are spaced one meter-apart one. In square templeter centered on the selected site. Figure GT.8-3 illustrates this sample collection spacing. The following procedures will be used for the RF method:

94-DMR-000857 44-DMR-000/33 EG&G ROCKY FLATS PLANT

ERM OPERATIONS PROCEDURE

MANUAL

Page:

Effective Date:

Organization:

Environmental Restoration Management

12-642-ER-OPS

GT.08,Rev.3

4-E42-ER-OPS

GT.08,Rev.3

12 of 44- RR 01/31/94

Effective Date:

Organization:

Environmental Restoration Management

- 1. Place the sampling jig on the ground, and using the wood block and hammer, drive the jig into the soil to a depth of 5 cm.
- With minimal disturbance to the soil inside the jig, use a scoop, trowel, or chisel to remove the soil from around the open side of the sample jig.
 Soil should be removed to a depth that will allow easy removal of the sample.
- 3. Discard the soil removed from outside the jig.
- 4. For radiological samples, remove soil samples from the jig interior jig with scoop/trowel and place it in a 10-mesh metal sieve that has a plastic bag attached to the bottom to receive the soil that passes through the sieve. For nor adiological samples, remove soil samples through the sieve which scoop/trovel and place has statically and 3-mesh statically samples (5 samples from each of the two-one 1-meter square templates) have been placed into the sieve, attach the sieve cover and seal with tape. Sieving may be done in stages if all 10-5 soil samples cannot be placed into the sieve at the same time.
- 5. Label the sample container into which the soil sample is to be placed. Refer to procedure FO.13, Containerization, Preserving, Handling, and Shipping of Soil and Water Samples, for the type of information to be included on the label, and the appropriate type of container.

This documentation is a QA record and must go into the ERM records center.

Shake the sieve for several minutes. If the soil is moist, gently crush soil aggregate with fingers, while wearing proper personal protective equipment as prescribed in the applicable Health and Safety Plan, and continue shaking until all soil matrix has passed through the sieve. Discard large particles (cobbles, stones, etc.) that do not pass through the sieve into original disturbed area.

EG&G ROCKY FLATS PLANT

Manual:

4-E42-ER-OPS

ERM OPERATIONS PROCEDURE MANUAL

Procedure No.

GT.08, Rev. 3

Page:

12A of 44 RR 01/81/94

Effective Date:

Organization:

Environmental Restoration Management

- DMA - 000/3 94- DMR - 00085

6. In order to reduce the volume of the sieved sample to the quantity required for laboratory analysis, and still maintain a representative sample; place all sieved soil into stainless steel pan. Mix soil thoroughly with a scoop/trowel. Divide sieved soil into quarters. Subsample each quarter equally so the total amount of subsampled soil to be used for analysis does not exceed 1 kg or one 1 gal paint can. Place each of the four subsamples into one plastic bag. Place plastic bag in metal 1 gal paint een. Mix each quarter thoroughly with a scoop/trowel. Roll the ocanters back together and smooth to a uniform thickness in the stainless-steel pan. Collect adequate sample volume in appropriate laboratory designated sample container(s) with stainless steel scropensyelenyenekapeane Sie motopetekoppetekocompostedisone

Leave about 1 inch headspace in paint can.

SURFACE SOIL SAMPLING

	Organization:	Environmental Restoration Management
•• •	Effective Date:	12/8/93 PR 7-25-94
MANUAL	Page:	13 of 44 01/31/94
ERM OPERATIONS PROCEDURE	Procedure No.	GT.08,Rev.3
EG&G ROCKY FLATS PLANT	Manual:	4-E42-ER-OPS

94- DMR-000857

- 7. Place residual sieved seil from quartering inside plastie bag, and place bag inside another paint can. If residual seil exceeds volume of one 1-gal paint can, place excess residual sieved seil back into original disturbed area. Place residual sieved seil from quartering and sampling back into original disturbed area.
- 8. Store residual sieved seil for petential use at a later date.
- Decontaminate sieve between uses following procedure FO.3, General Equipment Decontamination.

4.3 GRAB SAMPLING (SPADE AND SCOOP)

4.3.1 Introduction

Surface soil samples can be collected for radionuclide analyses using grab sampling (spade and scoop) methods.

Sampling locations and the number of soil samples will be described in the specific Field Sampling Plan for each project. Equipment, sample plot layout, and sampling procedures are described in the following sections.

4.3.2 Equipment and Materials

The following is a list of equipment for contaminated soil sampling:

- spade (long handle);
- stainless steel hand auger (optional);
- mason trowel;
- stainless steel scoop;
- stainless steel lab spoon;
- sample labels:
- sample containers;
- wash/rinse tubs:
- phosphate-free, laboratory-grade detergent (e.g., Liquinox);
- distilled water:
- plastic sheeting;
- sample locations (map and/or list);
- appropriate health and safety equipment as specified in the applicable
 Health and Safety Plan;
- photoionization detector (PID) or flame ionization detector (FID);
- logbook;

:	SURFACE SOIL S	AMPLING
EG&G ROCKY FLATS PLANT	Manual:	4-E42-ER-OPS
ERM OPERATIONS PROCEDURE	Procedure No.	GT.08,Rev.3
MANUAL	Page:	39 of 44 or 181/94
	Effective Date:	12/8/93 7 - 25-90
	Organization:	Environmental Restoration Management

Figure GT.8-3 RF Method Soil Sampling Location Spacing

000857	7			
	meter_] ⊗		
944-DMP				
		[1 m	eter_]	

⊗ - Sample Location

☐ - Subsample Location